



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

P

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/656,711

09/05/2003

Mark T. Ryan

UNA6053P0341US

8276

32116

7590

03/03/2006

WOOD, PHILLIPS, KATZ, CLARK & MORTIMER
500 W. MADISON STREET
SUITE 3800
CHICAGO, IL 60661

EXAMINER

SHRIVER II, JAMES A

ART UNIT

PAPER NUMBER

3618

DATE MAILED: 03/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: 2/23/06

DATE : Jan. 17, 2006

TO SPE OF : ART UNIT 3618 (*Christopher Ellis*)

SUBJECT : Request for Certificate of Correction on Patent No.: 6,923,456

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location 7580, Certificates of Correction Branch – South Tower – 9A22

If response is for an IFW, return to employee (named below) via PUBSCofC Team in **MADRAS**.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please see requested change in claim 1. Your denial or approval decision is needed below.

Thank You For Your Assistance

sp

Certificates of Correction Branch
Tel. No. 703-308-9390 x120

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.


☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments:


SPE

3618
Art Unit